

## Stuart Center for Laser Periodontics & Implants

### CONSENT FOR DENTAL/SURGICAL TREATMENT FOR PATIENTS WHO HAVE RECEIVED BISPHOSPHONATE DRUGS

Patient's Name \_\_\_\_\_

Date \_\_\_\_\_

Please initial each paragraph after reading. If you have any questions, please ask your doctor BEFORE initialing.

Because you have been treated previously with Bisphosphonate drugs, you should know there is a significant risk of future complications with dental treatment. Bisphosphonate drugs appear to adversely affect the ability of bone to break down or remodel itself, thereby reducing or eliminating its ordinarily excellent healing capacity. This risk is increased after surgery, especially from extraction, implant placement, and other "invasive" procedures that might cause mild trauma to bone. Osteonecrosis of the jaw may result. This is a smoldering, long – term, destructive process in the jawbone that is often very difficult or impossible to eliminate.

Your medical/dental history is very important. We must know the medications and drugs that you have received/taken or are currently receiving/taking. An accurate medical history, including names of physicians, is important.

- \_\_\_\_\_ 1. Antibiotic therapy may be used to help control possible post-operative infection. For some patients, such therapy may cause allergic responses or have undesirable side effects such as gastric discomfort, diarrhea, colitis, etc.
- \_\_\_\_\_ 2. Despite precautions, there may be delayed healing, osteonecrosis, loss of bone and soft tissue, pathological fracture of the jaw, oral cutaneous fistula or other significant complications.
- \_\_\_\_\_ 3. If osteonecrosis should occur, treatment may be prolonged and difficult, involving ongoing intensive therapy including hospitalization, long – term antibiotics, and debridement to remove non – vital bone. Reconstructive surgery may be required, including bone grafting, metal plates and screws, and/or skin flaps and grafts.
- \_\_\_\_\_ 4. Even if there are no immediate complications from the proposed dental treatment, the area is always subject to spontaneous breakdown and infection. Even minimal trauma from a toothbrush, chewing hard food, or dental sores may trigger a complication.

**CONSENT FOR DENTAL/SURGICAL TREATMENT FOR PATIENTS  
WHO HAVE RECEIEVED BISPHOSPHONATE DRUGS**

\_\_\_\_\_ 5. Long – term post – operative monitoring may be required and cooperation in scheduled appointments is important. Regular and frequent dental check – ups with your dentist are important to monitor and attempt to prevent breakdown in your oral health.

\_\_\_\_\_ 6. I have read the above paragraphs and understand the possible risks of undergoing my planned treatment. I understand and agree to the follow treatment plan:

---

---

---

\_\_\_\_\_ 7. I understand the importance of my health history and affirm that I have given any and all information that may impact my care. I understand that failure to give true health information may adversely affect my care and lead to unwanted complications.

\_\_\_\_\_ 8. I realize that, despite all precautions that may be taken to avoid complications, there can be no guarantee as to the result of the proposed treatment.

**CONSENT**

I certify that I speak, read and write English and have read and fully understand this consent for surgery, have had my questions answered and all blanks were filled in prior to my initials or signature.

\_\_\_\_\_  
Patient's (or Legal Guardian's) Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Doctor's Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Witness' Signature

\_\_\_\_\_  
Date